

Rectory Gardens Sutton Coldfield

millerhomes

Specification

√ Standard

- Not Available

Kitchens	Faramond	Harrison	Bryson	Hudson	Pierson	Morrison	Greenwood	Waltham
Contemporary styled fitted kitchen with choice of frontals; Hacienda, Medford, Virginia & Plaza			_	_				_/
Square edged worktop with 95mm upstand to wall	_		_	_/		_	_/	_/
Stainless steel one and a half bowl sink (where layout permits) with mixer tap	✓	_	√	√	_	√	√	√
Stainless steel 60cm chimney hood and splashback to hob	√	√						
Stainless steel 4-burner gas hob	√	√						
Stainless steel single fan oven - built under	√	√	√	√	√	√	_	-
Stainless steel single fan oven - built in	-	-	-	-	-	-	√	√
Plumbing and electrics for washing machine	✓	\checkmark	√	\checkmark	\checkmark	\checkmark	√	\checkmark
Plumbing and electrics for dishwasher	✓	\checkmark	√	√	\checkmark	\checkmark	√	√
3 spot energy efficient LED track light to ceiling	√	\checkmark	√	√	\checkmark	\checkmark	√	√
USB charging outlet	\checkmark							
Bathrooms Ideal Standard's contemporary styled bathroom suite	√	√						
Soft close toilet seat to main bathroom	√	✓	√	√	\checkmark	\checkmark	√	√
Lever operated chrome monobloc mixer taps to basin	✓		\checkmark		\checkmark	\checkmark	√	√
Chrome bath shower mixer tap to bath with wall mount and shower screen	-	✓	-	-		-		-
Chrome deck mounted mixer taps to bath	✓	-	\checkmark		\checkmark	\checkmark		√
Low profile shower tray with stainless steel framed clear glass enclosure	-	-	-	-	-	-	\checkmark	\checkmark
Energy efficient LED drum lights to ceiling		\checkmark		$\sqrt{}$	$\sqrt{}$	\checkmark		√
Ceramic tile splashback to sink	√	\checkmark	√	√	√	√	√	√
400mm high ceramic tiling to bath perimeter	✓			√	\checkmark	_		√
Full height ceramic tiling to reflect shower screen extent above bath	-				_			
Full height ceramic tiling to shower area	-						_	√
En-Suites (where applicable)								
Ideal Standard's contemporary styled sanitaryware	√	-	√	√	√	\checkmark	√	√
Lever operated chrome monobloc mixer taps to basin	√	-	\checkmark	√	\checkmark	\checkmark	√	√
Low profile shower tray with stainless steel framed clear glass enclosure	√	-	√	√	✓	√	√	√
Bar style chrome shower mixer valve with sliding rail kit	✓	-	√	√	√	√	√	√
Energy efficient LED drum lights to ceiling	√	_	√		\checkmark			√

All customer choices and optional extras can only be included at an early stage of building construction please check with the Development Sales Manager for specific details. These sales particulars do not constitute a contract, form part of a contract or a warranty. Please refer to the 'Important Notice' section at the back of this brochure for more information. Photography represents typical Miller Homes' fittings and options.

✓ - ✓ ✓ ✓ ✓ ✓

Full height ceramic tiling to shower area, splash back to basin

Specification

√ Standard

- Not Available

Electrical	Faramond	Harrison	Bryson	Hudson	Pierson	Morrison	Greenwood	Waltham
Battery powered carbon monoxide detectors	√							
Mains wired (with battery back-up) smoke detectors								
TV socket to lounge								
BT socket								
Motion sensor porch light with energy efficient LED bulb								
Front doorbell and chime	· · ·							
	V							
Heating								
Gas central heating throughout	✓	√	√	√	√	√	√	\checkmark
Thermostatically controlled radiators to all rooms (except where thermostat is fitted)	✓	√	√	√	√	√	√	\checkmark
Programmable control of heating zones	✓	√	√	√	√	\checkmark	\checkmark	\checkmark
Exterior Double glazed PVCu windows (where planning permits)								
	√							
Double glazed PVCu french casement doors to patio (where layout permits)	√							
PVCu fascias, soffits and gutters (where planning permits) Multi-point door locking system to front and rear doors	√							
Up-and-over steel garage door (where applicable)	√							
op-and-over steet garage door (where applicable)	√						V	
Decorative								
Stop chamfer moulded spindles and newels to staircase	✓	√	√	√	√	\checkmark	\checkmark	√
White painted softwood handrail	✓	√	√	\checkmark	√	\checkmark	\checkmark	√
Square edge skirting with pencil round architraves	✓	√	√	√	√	\checkmark	√	√
Internal doors with chrome 'lever on rose' door handles	✓	√	√	\checkmark	√	\checkmark	\checkmark	√
Smooth finish ceilings, painted in white emulsion	√	√	\checkmark	√	\checkmark	√	\checkmark	√
Walls painted in white emulsion	✓	√	\checkmark	√	\checkmark	\checkmark	\checkmark	√
Woodwork painted satin white	√	√	\checkmark	\checkmark	\checkmark	√	\checkmark	\checkmark
Landscaping								
Turf to front garden	✓	√		√			_	√

All customer choices and optional extras can only be included at an early stage of building construction please check with the Development Sales Manager for specific details. These sales particulars do not constitute a contract, form part of a contract or a warranty. Please refer to the 'Important Notice' section at the back of this brochure for more information. Photography represents typical Miller Homes' fittings and options.

1,800 high, larch lap/close board boundary fencing

We've been building homes since 1934, that's three generations of experience. We've learned a lot about people and that's made a big difference to what we do and how we do it.

We're enormously proud of the homes we build, combining traditional craftsmanship with new ideas like low carbon technologies. The big difference is that we don't stop caring once we've finished the building, or when we've sold the house, or even once you've moved in. We're there when you need us, until you're settled, satisfied and inviting your friends round.



Development Opening Times

Please see millerhomes.co.uk for development opening times or call 03301 628135

Sat Nav: B75 7PD

This brochure is printed on GaleriArt and contains material sourced from responsibly managed forests. It's certified by the Forest Stewardship Council, an organisation dedicated to promoting responsible forest management and manufacture of wood products, like paper. It's a small thing, we know, but enough small things make a big difference. Please recycle this brochure and help make that difference.

millerhomes.co.uk

millerhomes

the place to be